

### ROCK HARD 4X4 JEEP WRANGLER JK 4-DOOR 2007-CURRENT REAR OVERHEAD CENTER BARS PART #: RH-1030-A Installation Manual



#### **PACKING LIST:**

- 1 OVERHEAD REAR CENTER BAR CAGE SECTION
- 2 3/8" X 2 ½" BUTTON HEAD BOLTS
- 2 3/8" STD FLAT WASHERS
- 2 3/8" THIN NYLOCK NUTS

#### **REQUIRED TOOLS:**

SHARP BLADE TO TRIM FACTORY ROLL BAR COVER (OPTIONAL) 9/16" WRENCH 7/32" ALLEN TAPE MEASURE TO SQUARE BARS DRILL 10MM SOCKET AND DRIVER

# Thank you for your purchase! Whether you bought this Rock Hard 4x4 product from one of our fantastic dealers or our factory direct team, we thank you for your business.

Rock Hard 4x4 is a family owned and operated business. We are headquartered in Saint Paul, Nebraska where we design, fabricate, and produce every single one of our products. Every single part we manufacture is 100% Made in the USA and exclusively in house by the Rock Hard 4x4 team.

We outsource zero processes.

**To you**, that means the product you are installing is the highest quality and longest lasting component on the market.

**To us**, that means you've selected a part we've spent years developing. Each Rock Hard 4x4 part has gone through more research and development and evolution than most people realize. While our parts may have the same striking look year after year, subtle revisions and refinements we implement maintain their status as the most durable and easy to install on the market.

We invite you to send us your feedback! Please email, call, write, or catch us on an off road trail near you to share your tales, share comments, and ask questions.

Phone: 308-750-4690
Fax: 308-754-5201
Email: sales@rockhard4x4.com
Site: www.rockhard4x4.com
Mail: ROCK HARD 4X4
1005 Twin Forks Lane

Saint Paul, NE 68873

- 1. Remove vehicle top. If soft-top simply fold back you do not have to unbolt hardware from rear 45-degree factory cage section.
- 2. Remove (lower) sound bar using 10MM socket. 2 bolts in each side mount, 1 bolt near each freedom panel hand bolt on either side of dome light.

PRO TIP: If you already have RH-1030 or RH-1030-1L Front Main Sports Cage Section installed, unbolt rear hardware (two bolts) from sound bar. RH-1030-A Rear Bars will mount ON TOP of front mounting plate.

- 3. Set front of rear cage bars (flat plate without downward bend) on top of sound bar. You'll notice a factory drilled hole on either driver or passenger side of top of sound bar. Use that hole as a guide to secure one side of RH-1030-A. Drill remaining hole. Secure with hardware but do not tighten at this time. You'll need some left and right adjustability to ensure rear mounting points are square.
- 4. Lay rear bar on top of factory padding on rear factory cage hoop.
- 5. Using sharp blade, trim padding where mounting plate will slip into padding.
- 6. Unzip rear cage hoop cover.
- 7. Slip RH-1030-A through cover and locate factory drilled hole in hoop. Use that as a guide to drill remaining hole.

8.	Secure using supplied hardware. Tighten front section when you have verified RH-1030-A is square and centered with cage.
9.	Zip factory roll bar cover.

CONGRATULATIONS! Now go wheel your rig with a whole new level of confidence and capability.

Please send photos of your install and wheeling adventures to <a href="mailto:pics@rockhard4x4.com">pics@rockhard4x4.com</a>. We love seeing our products on the trail!

## Rock Hard 4x4 Exclusive Limited Lifetime Warranty

Your Rock Hard 4x4® branded accessories are covered by the following Limited Warranty provided exclusively by Rock Hard 4x4., 1005 Twin Forks Lane, St. Paul, NE 68873.

This Limited Warranty is the only warranty made in connection with your purchase. Rock Hard 4x4 neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to Rock Hard 4x4 branded accessories first sold in the United States, Rock Hard 4x4 warrants to the initial retail purchaser only that your Rock Hard 4x4 accessory shall be free of defects in material and workmanship for the lifetime of this product.

Rock Hard 4x4 reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered: Your Rock Hard 4x4 Limited Warranty does not cover products or parts Rock Hard 4x4 determines to have been damaged by or subjected to:
(a.) Installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage. (e.) powder coat, anodizing, or paint finish.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon Rock Hard 4x4 inspection and at Rock Hard 4x4's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration should first contact Rock Hard 4x4 to obtain a RGA number (308-750-4690). All labor, removal, shipping and installation costs are customer's responsibility.

Your Rights Under State Law: In consideration of the purchase price paid, neither Rock Hard 4x4 nor any independent Rock Hard 4x4 distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased.